


## Technical Description


### Hall 4.1 – Congress Center Basel

<b>Hall size (gross)</b>	4,088m <sup>2</sup>								
<b>Effective height</b>	3.50m throughout hall, exception: peripheral area 3.00m								
<b>Lighting</b>	Fluorescent tubes								
<b>Typ of floor</b>	Artificial stone, grey, polished								
<b>Floor loading</b>	300kg per m <sup>2</sup>								
<b>Utilities</b>	<p>Utilities may be connected to all columns. Floor connections (see diagram overleaf) must be ordered duly in advance, with exact indication which floor connection will be needed.</p> <p>Running water, cold/waste water          Electric energy: 220V – 380V, up to 30kW          Telecommunications, direct line or via switchboard          Glass fibre connections</p>								
<b>Goods delivery</b> ⇒ directly accessible from lorry, with leveling facilities)	<p>3 goods lifts each:</p> <table> <tr> <td>Width</td> <td>2.45m</td> </tr> <tr> <td>Length</td> <td>6.50m</td> </tr> <tr> <td>Height</td> <td>3.20m</td> </tr> <tr> <td>Load capacity</td> <td>6,000kg</td> </tr> </table>	Width	2.45m	Length	6.50m	Height	3.20m	Load capacity	6,000kg
Width	2.45m								
Length	6.50m								
Height	3.20m								
Load capacity	6,000kg								
<b>Pillar cladding</b>	<p>Dimensions see sketch on the next page          Wood cladding up to 3.00m height, painted white</p>								
<b>Wall cladding</b>	Wood cladding up to 2.50m height, painted white								
<b>Suspension from ceiling</b>	<p>Inserted M10 threaded rawlplugs          Maximum load per rawlplug: 20kg</p>								
<b>Restrictions</b>	<p>Drilling holes into floors, walls (with the exception of wooden walls), pillars and ceilings is prohibited. No loads may be suspended from cable or ventilation channels or from light fittings without the express permission of the Fair Management.          Only flame-resistant materials may be used.          In all other cases, the conditions of the General Regulations, of the Stand Design Guidelines and of the Exhibition Regulations shall be binding.</p>								

## Floor Sockets (Dimensions in Meter)



## Hall Pillars (Dimensions in Meter)



Utilities may be connected to all pillars.